

CHALLENGERDESIGNS

*+outdoor kitchens*

7700 SERIES

2019  
CATALOG  
&  
STANDARDS

DOOR STYLE OPTIONS



LIMITED AVAILABILITY ON CUSTOMIZATION- PRICES TBD AT TIME OF REQUEST; MINIMUM 20% UP-CHARGE

Outdoor Drawer  
3-Drawers



ITEM	WIDTH
3DBC-153528	15"
3DBC-183528	18"
3DBC-213528	21"
3DBC-243528	24"
3DBC-273528	27"
3DBC-303528	30"
3DBC-333528	33"
3DBC-363528	36"

1 Drawer: 5"H  
Drawer 2 -3: 9.75"H

Outdoor Drawer  
4-Drawers



ITEM	WIDTH
ODBC-153528	15" W
ODBC-183528	18" W
ODBC-213528	21" W
ODBC-243528	24" W
ODBC-273528	27" W
ODBC-303528	30" W
ODBC-333528	33" W
ODBC-363528	36" W

Drawers 1-3: 5"H  
Drawer 4: 7"H

Outdoor Sink



ITEM	WIDTH	
OSB-183528	18"	
OSB-213528	21"	
OSB-243528	24"	
OSB-273528	27"	
OSB-303528	30"	
OSB-333528	33"	
OSB-363528	36"	
False Panel at Top	OSB-393528	39"
12" - 24" = 1 Door (LH or RH)	OSB-423528	42"
27" - 48" = 2 Door (LH/RH)	OSB-453528	45"
	OSB-483528	48"

Outdoor Single Drawer Door



ITEM	WIDTH
OSDDB-153528	15"
OSDDB-183528	18"
OSDDB-213528	21"
OSDDB-243528	24"
OSDDB-273528	27"
OSDDB-303528	30"
OSDDB-333528	33"
OSDDB-363528	36"

1 Drawer: 5"H  
 1 Full Width Shelf  
 12" - 24" = 1 Door (LH or RH)  
 27" - 36" = 2 Door (LH/RH)

Outdoor Door



ITEM	WIDTH
ODB-123528	12"
ODB-153528	15"
ODB-183528	18"
ODB-213528	21"
ODB-243528	24"
ODB-273528	27"
ODB-303528	30"
ODB-333528	33"
ODB-363528	36"
ODB-393528	39"
ODB-483528	48"
ODB-543528	54"

1 Full Width Shelf  
 12" - 24" = 1 Door (LH or RH)  
 27" - 54" = 2 Door (LH/RH)

Outdoor Internal Slide-Out Door



ITEM	WIDTH
OISDB-243528	24"

2 Internal Slide Outs (1 Top Middle, 1 Floor Mount)  
 1 Door (LH or RH)

Outdoor Inside Corner



ITEM	WIDTH
OICCB-403528	40"

1 Door (LH or RH)  
 1 Full Width Shelf  
 Door Width = 13 3/4"  
 CANNOT be at End of Cabinet Run or Beside Opening

Outdoor Blind



ITEM	WIDTH
OBBC-483528	48"

1 Door (LH or RH)  
1 Full Width Shelf

Outdoor Blind with Rear Access



ITEM	WIDTH
OBBCRA-483528	48"

2- Door (LH or RH)  
1 Full Width Shelf

Outdoor Pull-Out Propane



ITEM	WIDTH
OPC-213528	21"

1 Drawer: 5"H  
Slide Out Tray for LP Tank

Outdoor Drop-in Propane



ITEM	WIDTH
ODPC-183528	18"
ODPC-243528	24"

1 Drawer: 5"H, 1 Door (LH or RH)  
Laser Cut Hole for LP Tank in Floor

Outdoor Waste Bin



ITEM	WIDTH
OWBC-183528	18"
OWBC-243528	24"

1 Drawer: 5" H  
Slide Out Waste Bin Tray  
18" Single Waste Bin, 24" Double Waste Bin

Outdoor Open Shelf



CANNOT be used with an Outdoor Island Base

ITEM	WIDTH
OOSU-243528	24"

Outdoor Open Storage



1 Adjustable Shelf  
Power Coat Finished Interior

ITEM	WIDTH
OOCU-243528	24"

Outdoor Grill  
DEEPCUT



Custom Appliance Skirt at Top: 16" Tall  
2 Door (LH/RH)  
Vented in Floor and Back Panel  
Does not Accommodate a LP Tank

ITEM	WIDTH
OGGBD-363528	36"
OGGBD-423528	42"
OGGBD-453528	45"

Please Provide Appliance(s) Brand & Model

Outdoor Side Burner or  
Grill



Custom Appliance Skirt: 12" Tall  
18" - 27" - Side Burner  
30" - 66" - Gas Grill Base  
12" - 24" = 1 Door (LH or RH)  
27" - 48" = 2 Door (LH/RH)  
51" - 54" = 3 Door (LH/RH/RH)  
57" - 66" = 4 Door (LH/RH/LH/RH)  
Vented in Floor and Back Panel  
Does not Accommodate a LP Tank

ITEM	WIDTH
OGGB-183528	18"
OGGB-213528	21"
OGGB-243528	24"
OGGB-273528	27"
OGGB-303528	30"
OGGB-333528	33"
OGGB-363528	36"
OGGB-393528	39"
OGGB-423528	42"
OGGB-453528	45"
OGGB-483528	48"
OGGB-513528	51"
OGGB-543528	54"
OGGB-573528	57"
OGGB-603528	60"
OGGB-633528	63"
OGGB-663528	66"

Please Provide Appliance(s) Brand & Model

Outdoor Grill & Warming  
Drawer



Custom Appliance Skirt at Top: 12" Tall  
 Custom False Panel in Front for Warming Drawer  
 Vented in Floor and Back Panel  
 Does not Accommodate a LP Tank

ITEM	WIDTH
OGGWDB-363528	36"
OGGWDB-423528	42"
OGGWDB-483528	48"

Please Provide Appliance(s) Brand & Model

Outdoor Memphis  
Control Panel



False Panel at Top  
 Offered as Left Hinge ONLY, Install on Left of Grill Base  
 Does NOT include Control Panel Box

ITEM	WIDTH
OMCB-183528L	18"

Outdoor Door & Drawer  
Gas Grill



Custom Appliance Skirt: 12" Tall  
 Drawer 1 - 2: 7.2" H  
 1 Door (RH ONLY) 15.69" W x 16" H  
 Vented in Floor and Back Panel  
 Does not Accommodate a LP Tank

ITEM	WIDTH
ODDGGB-363528	36"
ODDGGB-423528	42"
ODDGGB-453528	45"

Please Provide Appliance(s) Brand & Model

Outdoor Evo Grill



2 Door (LH/RH)  
 Does not Accommodate a LP Tank

ITEM	WIDTH
OEGB-393534	39" (34"Deep)

Please Provide Appliance(s) Brand & Model

Outdoor Power Burner



ITEM	WIDTH
OPBB-243528	24"
OPBB-303528	30"
OPBB-363528	36"

Please Provide Appliance(s) Brand & Model

Custom Appliance Shelf Height/Width

1 Drawer: 10" H

CANNOT be at End of Cabinet Run or Beside Opening

Outdoor Ceramic Grill



ITEM	WIDTH
OCGC-243528	24"
OCGC-303528	30"
OCGC-243530	24" (30" deep)
OCGC-303530	30" (30" deep)
OCGC-303532	30" (32" deep)
OCGC-303536	30" (36" deep)

Shelf Height Adjusts to Grill Brand/Model

24" - 1 Door (LH or RH),

30" - 2 Door (LH/RH)

24"w - Med. or LG. Grill , 30"w - LG or XL Grill

Please Provide Appliance(s) Brand & Model

Island is recommended. If unit is to remain stationary against a wall, the cabinet must be 28" Deep for a Medium Grill, 32" Deep for a Large Grill, and 36" Deep for an Extra Large Grill.

(Kamado Joe II is exempt from these specifications due to hinge size)

Inside Corner Ceramic Grill



ITEM	WIDTH
OICGC-403528	40"

Please Provide Appliance(s) Brand & Model


Shelf Height Adjusts to Grill Brand/Model

1 Door (LH or RH) Width = 13 3/4"

Med., LG., or XL Grill

CANNOT be at End of Cabinet Run or Beside Opening

Outdoor Ceramic Grill Stand



ITEM	WIDTH
OCGS-303528	30"

Please Provide Appliance(s) Brand & Model

Island is recommended. If unit is to remain stationary against a wall, the cabinet must be offset to accommodate certain Grill Brands/Models.

1 Drawer: 10" H

Outdoor Island



Available with Legs 4"H Adjustable or 3"H Casters  
 12"-71" = 4 Casters/Legs, 72"-96" = 6 Casters/ Legs  
 CANNOT be used with Stand-Alone Appliances  
 Color Matches Cabinet Frame  
 Used for One Piece Build (Comparable to Coastals)

ITEM	WIDTH
OIB-12-48" x 24.875"D	12" - 48"
OIB-12-48 x 26.875"D	12" - 48"
OIB-49-72 x 24.875"D	49" - 72"
OIB-49-72 x 26.875"D	49" - 72"
OIB-73-96 x 24.875"D	73" - 96"
OIB-73-96 x 26.875"D	73" - 96"

3.125" Shallower than cabinets

Example 28"D cabinet- 3.125"= 24.875"D Outdoor Island Base

Island Base with Casters adds 5 7/8" to Cabinet Height

Island Base with Legs adds 5 9/16" to Cabinet Height

78" Outdoor Locker



1 Door (LH or RH)  
 2 Full Width Adjustable Shelves  
 1 Full Width Fixed Shelf with Coat Hanger  
 Must be Attached to a Wall  
 Cannot be used with an Outdoor Island Base

ITEM	WIDTH
OCL-187829.5	18"
OCL-217829.5	21"
OCL-247829.5	24"
OCL-277829.5	27"
OCL-307829.5	30"

84" Outdoor Locker




1 Door (LH or RH)  
 2 Full Width Adjustable Shelves  
 1 Full Width Fixed Shelf with Coat Hanger  
 Must be Attached to a Wall  
 Cannot be used with an Outdoor Island Base

ITEM	WIDTH
OCL-188429.5	18"
OCL-218429.5	21"
OCL-248429.5	24"
OCL-278429.5	27"
OCL-308429.5	30"

BASE & LOCKER CABINET OPTIONS

Base & Locker Additional Shelf



Not Available for All Base Cabinets

ITEM	WIDTH
BLAS-1828	18"
BLAS-2128	21"
BLAS-2428	24"
BLAS-2728	27"
BLAS-3028	30"



Outdoor 18" H Overhead



12" - 24" = 1 Door (LH or RH)  
 27" - 36" = 2 Door (LH/RH)

ITEM	WIDTH
KOC-121812	12"
KOC-151812	15"
KOC-181812	18"
KOC-211812	21"
KOC-241812	24"
KOC-271812	27"
KOC-301812	30"
KOC-331812	33"
KOC-361812	36"

Outdoor 24" H Overhead



1 Full Width Shelf  
 12" - 24" = 1 Door (LH or RH)  
 27" - 36" = 2 Door (LH/RH)

ITEM	WIDTH
KOC-122412	12"
KOC-152412	15"
KOC-182412	18"
KOC-212412	21"
KOC-242412	24"
KOC-272412	27"
KOC-302412	30"
KOC-332412	33"
KOC-362412	36"

Outdoor 30" H Overhead



1 Full Width Shelf  
 12" - 24" = 1 Door (LH or RH)  
 27" - 36" = 2 Door (LH/RH)

ITEM	WIDTH
KOC-123012	12"
KOC-153012	15"
KOC-183012	18"
KOC-213012	21"
KOC-243012	24"
KOC-273012	27"
KOC-303012	30"
KOC-333012	33"
KOC-363012	36"

Outdoor Overhead Blind Corner - 36" Wide



18" High - No Shelf  
 24" & 30" - 1 Shelf  
 All Cabinets 1 Door (LH or RH)

ITEM	DIMENSIONS
OIBC-361812	36" W x 18" H
OIBC-362412	36" W x 24" H
OIBC-363012	36" W x 30" H

Outdoor Inside Corner Overhead



18" High - No Shelf  
 24" & 30" - 1 Shelf  
 All Cabinets 1 Door (LH or RH)

CANNOT be at End of Cabinet Run or Beside Opening

ITEM	DIMENSIONS
KOIC-241812	24" W x 18" H
KOIC-242412	24" W x 24" H
KOIC-243012	24" W x 30" H

Additional Overhead Shelves



ITEM	WIDTH
OAS-12	12"
OAS-15	15"
OAS-18	18"
OAS-21	21"
OAS-24	24"
OAS-27	27"
OAS-30	30"
OAS-33	33"
OAS-36	36"

OUTDOOR KITCHEN COUNTERTOP OPTIONS

Aluminum Countertops & Options



ITEM	DESCRIPTION
ACT-28.5	Countertop, 28" D x 1.25" Thick
ACT-29	Countertop, 29" D x 1.25" Thick
ACT-30.5	Countertop, 30.5"D x 1.25" Thick
ACT-31	Countertop, 31" D x 1.25" Thick
ACT-32.5	Countertop, 32.5"D x 1.25" Thick
ACT-33	Countertop, 33"D x 1.25" Thick
ACT-36.5	Countertop, 36.5"D x 1.25" Thick
ACT-37	Countertop, 37" D x 1.25" Thick
ABS-4	Backsplash, 4"H x 1"Thick
ABT-16	Bar Top with Risers, 16"D x 1.25"Thick

.090 Aluminum, Powder Coated

ALL Pricing is Cost Per Lineal Inch


Countertop Overhang is 1/2" on all sides, UNLESS against wall

Bar Top Corner Support Measurements: 8" W x 8"D x 5" H; Center Support Measurements: 12" W x 5" H

Center Supports are needed for every 5' of Bar Top

Countertop Overlap of Bar Top is 9", Edge Overhang of 7"

Stainless Steel Countertop & Options



	DESCRIPTION
SST-28.5	Countertop, 28"D x 1.25" Thick
SST-29	Countertop, 29" D x 1.25" Thick
SST-30.5	Countertop, 30.5"D x 1.25" Thick
SST-31	Countertop, 31"D x 1.25" Thick
SST-32.5	Countertop, 32.5"D x 1.25" Thick
SST-33	Countertop, 33"D x 1.25" Thick
SST-36.5	Countertop, 36.5"D x 1.25" Thick
SST-37	Countertop, 37"D x 1.25" Thick
SSBS-4	Back Splash, 4"H x 1"Thick
SSBT-16	Bar Top with Risers, 16"D x 1.25"Thick

16G, Food Grade Stainless Steel

ALL Pricing is Cost Per Lineal Inch

Countertop Overhang is 1/2" on all sides, UNLESS against wall

Bar Top Corner Support Measurements: 8" W x 8"D x 5" H;

Center Support Measurements: 12" W x 5" H

Center Supports are needed for every 5' of Bar Top

Countertop Overlap of Bar Top is 9", Edge Overhang of 7"

## OUTDOOR KITCHEN ADD-ONS | OPTIONS

### Sink & Plumb Options



ITEM	DESCRIPTION
SINK-30	30" Premium Sink and Sprayer Spring Faucet 304, 18G Stainless Steel, Undermount Sink Installation Brushed Satin Finish Sink Basin, Brushed Nickel Finished Spring Faucet Minimum 33" Sink Base-- Faucet Behind Sink Basin Minimum 39" Sink Base-- Faucet on Left/Right of Sink Basin
SINK-15	15" Standard Sink and Faucet 201, 18G Stainless Steel, Drop-In Sink Installation, Brushed Satin Finish Sink Basin, Brushed Nickel Finish Faucet Minimum 18" Wide Base
WTP	On Demand Water System 12 Volt Pump, Battery Not Included One 5-gal Fresh Water Tank   One 5-gal Gray Water Tank

### Miscellaneous Accessories



ITEM	DESCRIPTION
4ADALEGS	Set of 4- ADA Compliant Legs, 1.5"-2.5" Tall CANNOT Accommodate Toe Kick
TBH	Towel bar Handle Towel Bar/Grab Handle for maneuvering units Adds 4 1/4" width to cabinet, 3 3/4" width to overall run

Panel & Filler  
Options



ITEM	DESCRIPTION
EP-28D	End Panel, 35"H x 28"D
EP-30D	End Panel, 35"H x 30"D
EP-32D	End Panel, 35"H x 32"D
EP-36D	End Panel, 35"H x 36"D
	Includes 2 Count 1/2" Adjustable Feet Provides Countertop Support By Appliance Openings or Corners
FP-13"H	Ceramic Grill Stand Filler Panel, (SPECIFY WIDTH)"W X 13"H
FP-18"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 18"H
FP-24"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 24"H
FP-30"H	Overhead Filler Panel, (SPECIFY WIDTH)"W X 30"H
FP-31"H	Base Filler Panel, (SPECIFY WIDTH)"W X 31"H
FP-74"H	Locker Filler Panel, (SPECIFY WIDTH)"W X 74"H
FP-81"H	Locker Filler Panel, (SPECIFY WIDTH)"W X 81"H
	1/2" Minimum Width   6" Maximum width
FAK-30D	Filler Angle Kit, 30 Degrees
FAK-45D	Filler Angle Kit, 45 Degrees
	includes: 2 Angle Pieces & 2 Finished Back Panels (5.1875" W for 30 Degree & 9.3125"W for 45 Degree) Does Not Provide Countertop Support
FBP- 31"H	Framed, Finished Back Panel, (SPECIFY WIDTH)"W X 31"H
	6" Minimum Width   48" Maximum width Commonly used between Cabinets to Create an Appliance Opening
DFP-31.5"H-19	Fluted Filler Posts, 3"W x 3"D x 31.5"H
DFP-34"H-19	Fluted Filler Posts, 3"W x 3"D x 34"H
	Ships with Adjustable Sleeve 31.5"H for ADA Legs, 34"H for Standard 4" Adjustable Legs
17TK-96W	Toe Kick, 8' Powder Coated Aluminum Panel
	Clips onto 4" Adjustable Legs Cut to size at installation CANNOT be used with ADA Legs